

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	("6582059" "6536874" "6439695" "6264307" "6235212" "6041600" "4613875" "3747120").pn.	USPAT	OR	ON	2005/06/27 07:18
S2	316	((nozzle planar) with (substrate plate layer)) same ((channel guide groove direct) with (clean maintenance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:45
S3	1420	347/22,33,36,4047.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:44
S4	5	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:44
S5	9921	((nozzle planar) with (substrate plate layer)) same ((ink liquid fluid) near8 (channel guide groove direct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:50
S6	152	S3 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:46
S7	31688	(nozzle with (substrate plate layer)) same (geometr\$2 shape recess channel groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:51
S8	188	S3 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:51

S9	328952	(ink fluid liquid) with (spray contaminat\$3 excess\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:52
S10	117	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:54
S11	3522	347/47,54,56,71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:54
S12	1179	S7 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 07:55
S13	175	S9 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:12
S14	510	((nozzle oriface) with (geometr\$2 shape recess)) same capillary	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:14
S15	17	S11 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 08:14
S16	6	("3466659" "3774231" "3887928" "3958249" "4349830").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/27 09:15
S17	12	("4413268").URPN.	USPAT	OR	ON	2005/06/27 09:15
S18	6	("4059480" "4066491" "4276335" "4403234" "4413268" "4549188").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/27 09:18
S19	34	("4728392").URPN.	USPAT	OR	ON	2005/06/27 10:37
S20	1454	347/100,106.ccls.	USPAT	OR	ON	2005/06/27 10:39

S21	652	(viscosity same tension) and S20	USPAT	OR	ON	2005/06/27 10:39
S22	4	("50" adj dynes) and ("40" adj centipoise)	USPAT	OR	ON	2005/06/27 10:38
S23	578	(viscosity with tension) and S20	USPAT	OR	ON	2005/06/27 10:39
S24	302	347/106.ccls.	USPAT	OR	ON	2005/06/27 10:39
S25	66	(viscosity same tension) and S24	USPAT	OR	ON	2005/06/27 10:44
S26	514	(depth height) with ((nozzle oriface) same (geometr\$2 dimension))	USPAT	OR	ON	2005/06/27 10:45
S27	3522	347/47,54,56,71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 10:45
S28	15	S27 and S26	USPAT	OR	ON	2005/06/27 10:45
S29	514	(depth height) with ((nozzle oriface) same (geometr\$2 dimension))	USPAT	OR	ON	2005/06/27 11:49
S30	3522	347/47,54,56,71.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 11:49
S31	15	S30 and S29	USPAT	OR	ON	2005/06/27 11:49
S32	302	347/106.ccls.	USPAT	OR	ON	2005/06/27 12:19
S33	66	(viscosity same tension) and S32	USPAT	OR	ON	2005/06/27 12:19
S34	23	S33 and piezoelectric	USPAT	OR	ON	2005/06/27 12:19